

Short notice inviting quotations for the "Supply and installation of 3 nos. of Professional Displays (As per the required specifications for the supply and installation)"

F. No.: ISCD/Estt/369-III/2023

Date: 21.11.2023

Sealed quotations are hereby invited from reputed firms / suppliers / vendors for the supply and installation of 3 Nos. of Professional Displays at the new campus of Omeo Kumar Das Institute of Social Change and Development at Gandhinar, P.O. Tetelia, Pin – 782 403 as per the following details:

| ltem No. | Particulars | Qty. | |
|----------|--|--------|--|
| 1. | Supply and installation of 4K Ultra HD 100" Professional Display | 1 No. | |
| 2 | Supply and installation of 4K Ultra HD 55" Professional Display | 2 Nos. | |

| | (a) For 100" | |
|-----|------------------|--|
| SI | Description | Specification |
| No. | | |
| 1 | Display Features | Brightness: (cd/m2) Typ.600/Peak940 |
| | | Native Contrast Ratio: 9000:1 |
| | | Dynamic Contrast Ratio: 700,000:1 |
| | | Response Time (m/s): 6.5 |
| | | Panel type: VA |
| | | Dimming Type: Local Dimming |
| | | Display Device: LCD |
| | | Backlight Type: Direct LED |
| | | Operation Time: 24/7 |
| | | Portrait Mode: Yes |
| 2 | Display | Screen Size for WEB (diagonal, cm, integer or 1 st decimal): 253 cm |
| | Specifications | Display Resolution (H × V, pixels): 3840 × 2160 |
| | | Screen Size (inch, measured diagonally): 100" (99.5 ") |
| | | Viewing Angle (Right/Left/Up/Down): 178 (89/89) degrees |
| | | TRILUMINOS Display: XR Triluminos Pro |
| 3 | Professional | HDMI Auto Wake: Yes |
| | Features | Multicast/IPTV: Yes |
| | | Compatible with TDM Digital Signage/TEOS Solution: Yes |
| | | On-Board Storage (GB): 16 GB |

A. Technical Specifications

| 4 | Notwork Fratient | Wi Fi Direct: Vee | | | | |
|---|------------------|--|--|--|--|--|
| 4 | Network Features | Wi-Fi Direct: Yes | | | | |
| | | Wi-Fi Certified: Yes | | | | |
| | | Wi-Fi Standard: a/b/g/n/ac | | | | |
| | | Wi-Fi Frequency: 2.4 GHz/5 GHz (For Wi-Fi Direct: 2.4 GHz Only) | | | | |
| | | Codec for Home Network: MPEG1: | | | | |
| | | MPEG1/MPEG2PS:MPEG2/MPEG2TS (HDV, AVCHD): AVC, MPEG4, | | | | |
| | | HEVC/AVI: Xivd, MotinJpeg/ASF (WMV): VC1/MOV:AVC, MPEG4, | | | | |
| | | MotionJpeg/ MKV:Xvid, AVC, MPEG4, VP8, HEVC/WEBM:VP8/ | | | | |
| | | 3GPP:MPEG4, AVC/MP3/ASF (WMA)/LPCM/WAV/MP4AAC/ | | | | |
| | | FLAC/JPEG | | | | |
| | | Apple Airplay (Internet required): Yes | | | | |
| | | Chrome cast built-in: Yes | | | | |
| | | Wireless LAN: Integrated | | | | |
| | | Application Store: Yes (Google Play Store) | | | | |
| 5 | Convenience | USB Playback Codecs: MPEG1:MPEG1/ MPEG2PS:MPEG2 / MPEG2TS | | | | |
| | Feature | (HDV,AVCHD): MPEG2,AVC / MP4 (XAVCS): AVC,MPEG4, HEVC/ AVI: | | | | |
| | | Xvid, MotinJpeg / ASF (WMV):VC1/MOV:AVC,MPEG4,MotionJpeg | | | | |
| | | /MKV:Xvid,AVC,MPEG4, VP8.HEVC /WEBM:VP8 / 3GPP:MPEG4,AVC/ | | | | |
| | | MP3/ ASF (WMA)/ LPCM/ WAV/MP4AAC/FLAC/JPEG | | | | |
| | | HDMI-CEC: Yes | | | | |
| | | On Screen Clock: Yes | | | | |
| | | Sleep Timer: Yes | | | | |
| | | On/Off Timer: Yes | | | | |
| 6 | Control Specs | IP Control: Yes | | | | |
| | | RS-232C Control: | | | | |
| | | 1 (Side) | | | | |
| | | Pro mode: Yes | | | | |
| 7 | Inputs & Outputs | HDMI Signal: 4096×2160p(24,50,60Hz), | | | | |
| | | 3840x2160p(24,25,30,50,60Hz),1080p(30,50,60,100,120Hz),1080/24p, | | | | |
| | | 1080i (50,60Hz), 720p(30,50,60Hz), 720/24p, 576, 480p | | | | |
| | | HDCP: HDCP2.3 (for HDMI1/2/3/4) | | | | |
| | | AC Power Input: C18 INLET (REAR) | | | | |
| | | Composite Video Input(s): 1 (Side) | | | | |
| | | HDMI Inputs Total: 4 (Side) | | | | |
| | | Digital Audio Output(s): 1 (Side) | | | | |
| | | Headphone Output(s): 1 (Side) | | | | |
| | | USB Ports: 2 (Side) | | | | |
| | | Ethernet Inputs: 1 (Side) | | | | |
| | | RS-232C Input(s): 1 (Side) | | | | |
| 8 | Audio | Speaker Position: Down Firing | | | | |
| | Specifications | Audio Power Output: 10W + 10W | | | | |
| | | Digital Audio Out (Optical) Format: Two Channel linear PCM: 48 kHz | | | | |
| | | 16 bits, Dolby Audio, DTS | | | | |
| | | Dolby Atmos: Yes, Sound Positioning, X- Balanced | | | | |
| | | | | | | |

| 9 | Video | Wide Mode: Wide zoom/Normal/Full/Zoom/14:9 | | | |
|----|---------------------------------------|--|--|--|--|
| | Specifications | 4:3 Default: Yes | | | |
| | | Video Processing: 4K X-Reality PRO | | | |
| | | Motion Enhancer: X-Motion Clarity, Auto mode | | | |
| | | 4K Processor: XR Processor | | | |
| | | HDR (High Dynamic Range) compatibility: Yes (HDR10, HLG, Dolby | | | |
| | | Vision) | | | |
| | | Panel Refresh Rate (Native Hertz): 100Hz/120Hz | | | |
| 10 | Design Features | Cable Management: Yes | | | |
| | | Frame color: Black | | | |
| | | Stand Design: Metal Blade Stand | | | |
| | | VESA [®] Hole Spacing Compatible: Yes | | | |
| | | VESA [®] Hole Pitch (WxH): 60 × 40cm | | | |
| 11 | Eco & Energy | EEA SDR RANK: G | | | |
| | Power Consumption (in Standby): 0.50W | | | | |
| | Mercury Content (mg): 0 | | | | |
| | | Power Saving Mode / Back Light Off Mode: Yes | | | |
| | | Power Requirements (voltage): AC 220-240V | | | |
| 12 | Dimensions | Screen Size (inch, measured diagonally): 100" (99.5 ^) | | | |
| | | Screen Size for WEB (diagonal, cm, integer or 1st decimal): 253 cm | | | |

(b) For 55"

| SI No. | Description | Specification | | | |
|--------|-----------------------|---|--|--|--|
| 1 | Display Features | Panel Brightness (cd/m2): Typical : 440 | | | |
| | | Contrast Ratio: 1200:1 | | | |
| | | Response Time (ms)(*1): 10 | | | |
| | | Dynamic Contrast Ratio: 300,000:1 | | | |
| | | Panel Type (IPS/ VA): IPS | | | |
| | | Panel Surface: Anti-Glare | | | |
| | | Haze(%):1 | | | |
| | | Backlight Type: Direct LED | | | |
| | | Operation Time: 24/7 | | | |
| | | TRILUMINOS Display: Triluminos Pro | | | |
| 2 | Video | HDR Compatibility: HDR10/HLG / Dolby Vision | | | |
| 3 | Size | VESA® Hole Pitch (mm): 300 x 300 | | | |
| | | Display Only (W×H×D) (mm): 1243 × 718 × 71 | | | |
| | | Display with Stand (WHD) (mm): 1243 × 787 × 338 | | | |
| 5 | Power | Rated Power Consumption (W): 196 | | | |
| | | Power Consumption (in Standby) (W): 0.5 | | | |
| 6 | Display Features | Dimming Type: Local Dimming | | | |
| | | Viewing Angle (Right/Left): 178 (89/89) degree | | | |
| | | Viewing Angle (Up/Down): 178 (89/89) degree | | | |
| | | Panel Refresh Rate (Native Hertz): 50Hz | | | |
| 7 | Professional Features | Operating System: Android 10 | | | |

| 8 | Network Features | Wi-Fi direct: Yes |
|---|------------------|---|
| | | Wi-Fi Certified: Yes |
| | | Wi-Fi Standard: a/b/g/n/ac |
| | | Wi-Fi Frequency: 2.4 GHz/5 GHz (for Wi-Fi Direct: 2.4 GHz |
| | | Only) |
| | | Apple Airplay (Internet required): Yes |
| | | Chrome cast built-in: Yes |
| | | Wireless LAN: Integrated |
| | | IP Control: Yes |
| | | RS-232C Control: 1 (Side) |
| | | Pro mode: Yes |
| 9 | Inputs & Outputs | Composite Video Input(s): 1 (Side) |
| | | HDMI Inputs Total: 4 (Side) |
| | | Digital Audio Output(s): 1 (Side) |
| | | Headphone Output(s): 1 (Side) |
| | | USB Ports: 2 (Side) |
| | | Ethernet Inputs:1 (Side) |
| | | RS-232C Input(s): 1 (Side) |

- A. Documents to be enclosed with Quotation Form (Annexure A)
 - 1) Self-certified copy of PAN Card
 - 2) Self-certified copy of GST Registration Certificate
 - 3) The tendering firm must possess OEM Authorisation certificate and the same shall have to be enclosed with the quotation.
- B. Terms & conditions:
 - 1) Tender documents can be downloaded from the Institute's website (<u>www.okd.in</u>). No separate Tender documents will be issued from the office.
 - 2) The time limit for supply and installation is 15 days from the issuance of work / purchase order.
 - 3) Conditional quotations will not be accepted. In case a conditional quotation is received, OKDISCD will not be bound to those conditions.
 - 4) One quotation per envelope will be considered. Two or more quotations in one envelop will be rejected.
 - 5) Unsigned quotation and documents will be rejected. Please submit the quotation (as per Annexure-A) with offer letter on Company / Firm's letter-head.
 - 6) Guarantee / Warranty should be mentioned separately for the products utilised.
 - 7) Applicable taxes will be deducted as per prevailing rates and as per notification of the Govt of Assam.
 - 8) The Institute reserves the right to accept or reject any or all quotations without assigning any reason.

- 9) The quantity mentioned above may be increased or decreased at the time of placing order as per requirement.
- 10) The tendering firm must have a permanent establishment at Assam.

Sealed envelope containing the quotation as per <u>Annexure – A</u> should bear the mark "Supply and installation of 3 nos. of Professional Displays at the new campus of OKDISCD at Gandhinagar, P.O. Tetelia, Pin – 782 403" must be addressed to the Director (i/c), OKD Institute of Social Change and Development, VIP Road, Upper Hengrabari, Guwahati – 781 036. The sealed envelopes complete in all respect must be submitted to the Front Desk Manager (Reception Counter) of the Institute on or before 28/11/2023 up to 12.00 PM and will be opened on 28/11/2023 at 2.30 pm.

handh

Director (i/c) OKDISCD

Director i/c Omeo Kumar Das Institute of Social Change and Development VIP Road, Upper Hengrabari Guwahati- 781036, India

Annexure – A

Quotation Form

| SI No. | Description | Information to be filled by the bidder (if required separate sheet may be enclosed) | | | |
|---------------------------|--|---|-----|------|---------------|
| 1 | Name of the Bidder/Proprietor/Partners and address of bidder/firm/agency with complete contact details | | | | |
| 2 | GST No./Certificate (Enclose self-certified copy of the Registration Certificate) | | | | |
| 3 | PAN No. (Enclose self-certified copy of PAN) | | | | |
| 4 | Quotation for the Supply and installation of 3 nos. of Professional Displays (as per the required specifications for the supply and installation) | | | | ays |
| SI No. | Item | Unit | Qty | Rate | Amount (₹) |
| 1 | Supply and installation of 100" Professional Display (Strictly as per para A, i.e. the required specification for the supply and installation in the quotation notice) | No. | 01 | | |
| 2 | Supply and installation of 55" Professional Display (Strictly as per para A, i.e. the required specification for the supply and installation in the quotation notice) | Nos. | 02 | | |
| GST @ | | | | | |
| Total amount (₹) with GST | | | | | |

Amount in words: Rupeesonly.

Self-Declaration / Undertaking

I / we hereby confirm submission of all required documents.

I / we have not been blacklisted by any Government Agency.

Further, I / We confirm that each statement and / or contents of this submission and / or documents, certificates submitted herewith are absolutely true, correct and authentic. In the event of any statement / document subsequently turning out to be incorrect or false, it is understood and accepted that the undersigned is liable to disqualification from this selection process.

Signature of the authorised signatory / Bidder / Firm with Official Seal / Stamp & Date